Author Index

Addison, P. A., 113
Ali, A., 97
Allen, R. M., 113
Alper, E., 107
Atiqullah, M., B57
Attia, Y. A., B31

Beeftink, H. H., B1
Beg, S. A., B57
Bhatia, S., 97

Cabassud, M., 27
Carr, P. W., B25
Carreau, P. J., 51
Casamatta, G., 27

Detsch, R. M., 157
Dutt, N. V. K., 173

El Zeky, M. A., B31

Fabiani, C., B47, B81

Geraats, S. G. M., B41
Giubileo, G., B47, B81
Gourdon, C., 27
Grandjean, B. P. A., 51
Grenier, Ph., 43
Grosdidier, P., 119
Guesalaga, A. R., 81
Gurgel, J. M., 43

Hassan, M. M., B57
Hill, G. A., B69
Hooijmans, C. M., B41

Inamdar, S. R., 129

Jänicke, W., 167
Joshi, J. B., 11

Kato, M. B87
Kennedy, P., 119
Khare, A. S., 11
Kim, S. D., 1, 52
Kiuchi, T., B87
Koresawa, E., 133
Kropholler, H. W., 81
Kulkarni, B. D., 129
Kumazawa, H., 133

Lee, G. S., 1
Luyben, K. Ch. A. M., B41

Miyoshi, H., 73
Muslu, Y., B15

Noble, R. D., B47, B81

Paris, J., 51
Potters, J. J. M., B41

Rao, N. S., 141
Robinson, C. W., B69

Saberian-Brodjenni, M., 52
Sada, E., 133
Saxena, A. C., 141
Saxena, S. C., 141
Sharma, R. N., 157
Shnaider, A. G., 53
Shnaider, G. S., 53

Tambe, S. S., 129
Ti, H. C., 89

Valeva, M., B51
van den Heuvel, J. C., B1
Venugopal, D., 173
Violante, V., B47, B81
Vlaev, S. D., B51

Wade, J. L., B25
Wild, G., 52

© Elsevier Sequoia/Printed in The Netherlands

Subject Index

Activated carbon
measurement of the thermal conductivity of AC-35 active carbon in the presence of gas, 43
Air velocity
heat transfer from a cylindrical probe immersed in a three-phase slurry bubble column, 141
Amberlyst 15
methyl tertiary butyl ether formation in a catalytic bed reactor — kinetic and modelling study, 97
Analysis
analysis of enzyme catalysis under batch conditions, B47
Axial dispersion
liquid axial dispersion in gas–liquid–solid fluidized beds, 51
Axial mixing
axial mixing of solids in turbulent fluidized beds, 1

Backmixing effects
modeling of axial and recycle backmixing effects in a biological packed bed loop reactor, B57
Bacterial aggregates
bacterial aggregates of various and varying size and density: a structure model for biomass retention, B1
Batch chemical plants
scheduling for multipurpose batch chemical plants, 167
Batch conditions
analysis of enzyme catalysis under batch conditions, B47
Bessel function integrals
efficient and precise computation of Bessel function integrals, B25
Binary exchange
ion exchange equilibria for ternary systems from binary exchange data, 113
Bio-artificial pancreas
analysis of an implantable bio-artificial pancreas for insulin production, B81
Bioleaching
bioleaching of non-ferrous sulfides with adapted thiophillic bacteria, B31
Biomass retention
bacterial aggregates of various and varying size and density: a structure model for biomass retention, B1
Bioreactor
dispersion in suspended growth systems, B15
Break-up
single drop break-up in a Kühni column, 27
Breakage laws
single drop break-up in a Kühni column, 27
Brusselator model
sensitivity coefficients of oscillatory reaction systems, 129

Carbon dioxide
kinetics of reactions of carbon dioxide with diglycolamine and morpholine, 107
Catalytic bed reactor
methyl tertiary butyl ether formation in a catalytic bed reactor — kinetic and modelling study, 97
Catalytic cracking
kinetic models of catalytic cracking of oil fractions in single-stage and multistage reactors with fluidized beds and interpretation of experimental data of catalytic cracking performed in these reactors, 53
Chalcocite
bioleaching of non-ferrous sulfides with adapted thiophillic bacteria, B31
Continuous flow systems
bacterial aggregates of various and varying size and density: a structure model for biomass retention, B1
Controller parameters
operability improvement of distillation columns, 81

Diglycolamine
kinetics of reactions of carbon dioxide with diglycolamine and morpholine, 107
Dispersion
dispersion in suspended growth systems, B15
Distillation columns
operability improvement of distillation columns, 81
Drop breakage
single drop break-up in a Kühne column, 27
Droplets
single drop break-up in a Kühne column, 27
Dynamic performance
operability improvement of distillation columns, 81

Effluent concentrations
dispersion in suspended growth systems, B15
Electrodialysis unit
flow characteristics in a parallel channel with both spacer and space, 73
Energy penalty
operability improvement of distillation columns, 81
Enzyme catalysis
analysis of enzyme catalysis under batch conditions, B47
Ethanol
a modified Ghose model for batch cultures of *Saccharomyces cerevisiae* at high ethanol concentrations, B69
reaction kinetics and size control in the formation of monosized silica spheres by controlled

© Elsevier Sequoia/Printed in The Netherlands

hydrolysis of tetraethyl orthosilicate in ethanol, 133

Fermentation
rheology and oxygen transfer in starch suspensions during high temperature (35 °C) α-amylase fermentation, 551
Ferrooxidans
bioleaching of non-ferrous sulfides with adapted thiophillic bacteria, B31
Fine particles
effect of fine particles on gas hold-up in three-phase sparged reactors, 11
Flow characteristics
flow characteristics in a parallel channel with both spacer and space, 73
Fluidized bed
axial mixing of solids in turbulent fluidized beds, 1
Fluorinated hydrocarbons
prediction of liquid viscosities of fluorinated hydrocarbons by the extended Thomas' method, 173
Fractionator
case study in multivariable control — main fractionator slurry pumparound, 119
Function integrals
efficient and precise computation of Bessel function integrals, B25

Galena
bioleaching of non-ferrous sulfides with adapted thiophillic bacteria, B31
Gas
measurement of the thermal conductivity of AC-35 active carbon in the presence of gas, 43
Gas bubble entrainment
the critical angle for gas bubble entrainment by plunging liquid jets, 157
Gas hold-up
effect of fine particles on gas hold-up in three-phase sparged reactors, 11
Gaussian quadrature method
efficient and precise computation of Bessel function integrals, B25
Ghose model
a modified Ghose model for batch cultures of *Saccharomyces cerevisiae* at high ethanol concentrations, B69

Heat transfer
heat transfer from a cylindrical probe immersed in a three-phase slurry bubble column, 141
Hydrodynamics
heat transfer from a cylindrical probe immersed in a three-phase slurry bubble column, 141
Hydrolysis
reaction kinetics and size control in the formation of monosized silica spheres by controlled hydrolysis of tetraethyl orthosilicate in ethanol, 133

Insulin
analysis of an implantable bio-artificial pancreas for insulin production, B81

Ion exchange equilibria
ion exchange equilibria for ternary systems from binary exchange data, 113

Kinetic models
kinetic models of catalytic cracking of oil fractions in single-stage and multistage reactors with fluidized beds and interpretation of experimental data of catalytic cracking performed in these reactors, 53
Kinetic parameters
analysis of enzyme catalysis under batch conditions, B47
Kinetic study
methyl tertiary butyl ether formation in a catalytic bed reactor — kinetic and modelling study, 97
Kinetics
kinetics of reactions of carbon dioxide with diglycolamine and morpholine, 107
reaction kinetics and size control in the formation of monosized silica spheres by controlled hydrolysis of tetraethyl orthosilicate in ethanol, 133
Kühni column
single drop break-up in a Kühne column, 27

Lineweaver–Burk plot
analysis of enzyme catalysis under batch conditions, B47
Liquid dispersion
liquid axial dispersion in gas–liquid–solid fluidized beds, 51
Liquid viscosities
prediction of liquid viscosities of fluorinated hydrocarbons by the extended Thomas' method, 173

Mass transfer boundary layer
experimental determination of the mass transfer boundary layer around a spherical biocatalyst particle, B41
Methanol
measurement of the thermal conductivity of AC-35 active carbon in the presence of gas, 43
Methyl tertiary butyl ether formation
methyl tertiary butyl ether formation in a catalytic bed reactor — kinetic and modelling study, 97
Microbial films
biological rate equation for microbial films, B87
Mixed specification problems
mixed specification problems in pipeline network analysis: partitioning methods, 89
Modelling study
methyl tertiary butyl ether formation in a catalytic bed reactor — kinetic and modelling study, 97
Monod kinetics
modeling of axial and recycle backmixing effects in a biological packed bed loop reactor, B57
Morpholine
kinetics of reactions of carbon dioxide with diglycolamine and morpholine, 107

Multistage reactors
kinetic models of catalytic cracking of oil fractions in single-stage and multistage reactors with fluidized beds and interpretation of experimental data of catalytic cracking performed in these reactors, 53
Multivariable control
case study in multivariable control — main fractionator slurry pumparound, 119

Non-ferrous sulfides
bioleaching of non-ferrous sulfides with adapted thiophillic bacteria, B31

Operability improvement
operability improvement of distillation columns, 81
Oscillatory reaction systems
sensitivity coefficients of oscillatory reaction systems, 129
Osmotic stress
a modified Ghose model for batch cultures of *Saccharomyces cerevisiae* at high ethanol concentrations, B69
Oxygen microsensor
experimental determination of the mass transfer boundary layer around a spherical biocatalyst particle, B41
Oxygen transfer
rheology and oxygen transfer in starch suspensions during high temperature (35 °C) α-amylase fermentation, B51

Packed bed loop reactor
modeling of axial and recycle backmixing effects in a biological packed bed loop reactor, B57
Packed column
flow characteristics in a parallel channel with both spacer and space, 73
Parallel channel
flow characteristics in a parallel channel with both spacer and space, 73
Particle size
effect of fine particles on gas hold-up in three-phase sparged reactors, 11
Partitioning methods
mixed specification problems in pipeline network analysis: partitioning methods, 89
Pipeline network analysis
mixed specification problems in pipeline network analysis: partitioning methods, 89
Plunging liquid jets
the critical angle for gas bubble entrainment by plunging liquid jets, 157
Pressure
measurement of the thermal conductivity of AC-35 active carbon in the presence of gas, 43

Rate equation
biological rate equation for microbial films, B87
Reynolds numbers
the critical angle for gas bubble entrainment by plunging liquid jets, 157
Rheology
rheology and oxygen transfer in starch suspensions during high temperature (35 °C) α-amylase fermentation, B51

Saccharomyces cerevisiae
a modified Ghose model for batch cultures of *Saccaromyces cerevisiae* at high enthanol concentrations, B69
Scheduling
scheduling for multipurpose batch chemical plants, 167
Sensitivity coefficients
sensitivity coefficients of oscillatory reaction systems, 129
Silica
reaction kinetics and size control in the formation of monosized silica spheres by controlled hydrolysis of tetraethyl orthosilicate in ethanol, 133
Single-stage reactors
kinetic models of catalytic cracking of oil fractions in single-stage and multistage reactors with fluidized beds and interpretation of experimental data of catalytic cracking performed in these reactors, 53
Size control
reaction kinetics and size control in the formation of monosized silica spheres by controlled hydrolysis of tetraethyl orthosilicate in ethanol, 133
Slurry bubble column
heat transfer from a cylindrical probe immersed in a three-phase slurry bubble column, 141
Solid loading
effect of fine particles on gas hold-up in three-phase sparged reactors, 11
Space
flow characteristics in a parallel channel with both spacer and space, 73
Spacer
flow characteristics in a parallel channel with both spacer and space, 73
Sphalerite
bioleaching of non-ferrous sulfides with adapted thiophillic bacteria, B31
Spherical biocatalyst particle
experimental determination of the mass transfer boundary layer around a spherical biocatalyst particle, B41
Starch
rheology and oxygen transfer in starch suspensions during high temperature (35 °C) α-amylase fermentation, 551
Steady state conditions
modeling of axial and recycle backmixing effects in a biological packed bed loop reactor, B57
Steady state gain
case study in multivariable control — main fractionator slurry pumparound, 119
Stopped-flow technique
kinetics of reactions of carbon dioxide with diglycolamine and morpholine, 107
Structured model
bacterial aggregated of various and varying size

and density: a structure model for biomass retention, B1
Surface tension
the critical angle for gas bubble entrainment by plunging liquid jets, 157
Suspended growth systems
dispersion in suspended growth systems, B15

Ternary systems
ion exchange equilibria for ternary systems from binary exchange data, 113
Tetraethyl orthosilicate
reaction kinetics and size control in the formation of monosized silica spheres by controlled hydrolysis of tetraethyl orthosilicate in ethanol, 133
Thermal conductivity
measurement of the thermal conductivity of AC-35 active carbon in the presence of gas, 43
Thiobacillus
bioleaching of non-ferrous sulfides with adapted thiophillic bacteria, B31
Thiophillic bacteria
bioleaching of non-ferrous sulfides with adapted thiophillic bacteria, B31
Three-phase sparged reactors
effect of fine particles on gas hold-up in three-phase sparged reactors, 11
Three-phase system
liquid axial dispersion in gas–liquid–solid fluidized beds, 51
Turbulent flow regimes
axial mixing of solids in turbulent fluidized beds, 1